


Improving Access to Bowel Screening for People with a Learning Disability

Peter Nash


South Tyneside NHS Foundation Trust







The lifetime risk of developing bowel cancer in the UK is 1 in 14 for men and 1 in 19 for women. It is 1 in 16 for people in the UK overall Those with a learning disability are more at risk of bowel cancer since bowel cancer is associated with obesity, poor diet and lack of exercise (Read and Latham 2009, DOH 2013)








Relative rates of screening for all four cancers were significantly lower for people with learning disability. Bowel Screening 57.8 per cent of total population; 28.1 per cent of people with Learning Disability (Tizard Learning Disability Review 2014)


BOWEL CANCER





Preventing Avoidable Deaths















NHS Foundation Trust







The person, CLDT, carers and families were now more aware of the importance of bowel screening and how to support the person with a learning disability to undertake the test.


The Health Action Plan Database was updated

A pathway now exist between GPs and the CLDT for non-responders

CLDT are now trained in how to support someone with a learning disability to complete a bowel screening test.

	<u>Pre</u>	<u>Post</u>		
Project outcome				
Had BS discussed	72(22%)	193(80%)	58%	1
Completed BS test	34(48%)	117(61%)	13%	1
Followed up	0 (0%)	117(100%)	100%	
NFA	None noted	99 (85%)		1
RFA	None noted	18 (18%)		1
Declined	38(53%)	32 (13%)	40%	Ţ







I AM DIFFERENT

YES THAT'S TRUE

BUT IS MY LIFE

NOT WORTH THE SAME AS YOU?

